



not on CV-POM

GENERAL GOALS AND CHARACTERISTICS FOR PSEI STANDARDS

Approach Subgroup Of The Project Support
Environment Standards Working Group (PSESWG) Of
The Next Generation Computer Resources (NGCR)
Project

Carl Schmiedekamp, Chairperson
Thomas Shields, Editor
Systems and Software Technology Department (Code 7033)
NAVAL AIR WARFARE CENTER
AIRCRAFT DIVISION WARMINSTER
P.O. Box 5152
Warminster, PA 18974-0591

DTIC QUALITY INSPECTED

19970606 004

24 AUGUST 1992

FINAL REPORT

"NAWCADWAR"
"TECH INFO"

Approved for Public Release; Distribution is Unlimited.

940011

Prepared for
SPACE AND NAVAL WARFARE SYSTEMS COMMAND (SPAWAR-324)
Washington, DC 20363

NOTICES


REPORT NUMBERING SYSTEM — The numbering of technical project reports issued by the Naval Air Warfare Center, Aircraft Division, Warminster is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Functional Department responsible for the report. For example: Report No. NAWCADWAR-92001-60 indicates the first Center report for the year 1992 and prepared by the Air Vehicle and Crew Systems Technology Department. The numerical codes are as follows:

CODE	OFFICE OR DEPARTMENT
00	Commanding Officer, NAWCADWAR
01	Technical Director, NAWCADWAR
05	Computer Department
10	AntiSubmarine Warfare Systems Department
20	Tactical Air Systems Department
30	Warfare Systems Analysis Department
50	Mission Avionics Technology Department
60	Air Vehicle & Crew Systems Technology Department
70	Systems & Software Technology Department
80	Engineering Support Group
90	Test & Evaluation Group

PRODUCT ENDORSEMENT — The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

Reviewed By: _____ Date: _____
Branch Head

Reviewed By:  _____ Date: 12/31/92
Division Head

Reviewed By:  _____ Date: 3/23/93
Director/Deputy Director

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 24 August 1992	3. REPORT TYPE AND DATES COVERED Final		
4. TITLE AND SUBTITLE GENERAL GOALS AND CHARACTERISTICS FOR PSEI STANDARDS		5. FUNDING NUMBERS		
6. AUTHOR(S) Carl Schmiedekamp, Chairperson Thomas Shields, Editor		8. PERFORMING ORGANIZATION REPORT NUMBER NAWCADWAR-92104-70		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Systems and Software Technology Department (Code 7033) NAVAL AIR WARFARE CENTER-AIRCRAFT DIVISION WARMINSTER P.O. Box 5152 Warminster, PA 18974-0591		10. SPONSORING / MONITORING AGENCY REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) SPACE AND NAVAL WARFARE SYSTEMS COMMAND (SPAWAR-324) Washington, DC 20363		11. SUPPLEMENTARY NOTES Approach Subgroup of the Project Support Environment Standards Working Group (PSESWG) of The Next Generation Computer Resources (NGCR) Project.		
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution is Unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) This document describes the Department of the Navy's goals and general characteristics for the definition and specification of Project Support Environment (PSE) Interface (PSEI) standards for the Next Generation Computer Resources (NGCR) Program. These goals and characteristics provide general guidance to the NGCR Project Support Environment Standards Working Group (PSESWG) in the selection of PSEI standards. It is expected that more specific goals and characteristics will be defined within particular PSE service areas to guide the selection of individual PSEI standards. Each general goal and characteristic is described in a subsection of this document. In addition, each general characteristic description includes evaluation criteria with a scoring scheme. It is intended that these evaluation criteria be used for subjective scoring and analysis of competing standards.				
14. SUBJECT TERMS interface characteristics, interface standard evaluation criteria, interface standards, interfaces, Next Generation Computer Resources, NGCR, project support environment		15. NUMBER OF PAGES 21		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

14. SUBJECT TERMS (Continued)

standards, project support environments, PSESWG, PSESWG goals

NAWCADWAR-92104-70

CONTENTS		Page
Section		
1.0	Introduction	1
1.1	Scope	1
1.2	Terminology	1
2.0	Goals	1
2.1	Transportability of Data, Tools and Users	1
2.2	Quality Interface	1
2.3	User Confidence	2
2.4	Long Life-Time Project Support	3
2.5	Reduced Navy Cost	3
2.6	NGCR Program Support	4
2.7	Tool Integration	4
3.0	General Characteristics	4
3.1	Consistent with Other NGCR and PSESWG Interfaces	4
3.2	Interface Sufficiency	5
3.3	Extensible Interface	6
3.4	Lasting Interface Technology	6
3.5	Technology Utilization	7
3.6	Stability of Interface Specification	7
3.7	Compatibility With Older Versions	8
3.8	Support Exists For Interface Specification	9
3.9	Stature of Sponsoring Organization	9
3.10	Availability of Suitable Documentation	10
3.11	Navy Influence In Community Maintaining Interface	11
3.12	Acceptance by Commercial Providers	11
3.13	Nonproprietary Interface Specification	12

CONTENTS (Continued)

Section	Page
3.14 Low User Risk	12
3.15 Language Binding Exist	13
3.16 Conformance Tests are Available	14
3.17 Transportable Data	14
3.18 Heterogeneous Distribution	15
3.19 Hardware Independent	16
3.20 Security	17
Appendix A - Mapping of Goals to Characteristics	A-1

General Goals and Characteristics for PSEI Standards

1. Introduction

1.1. Scope

This document describes the Department of the Navy's goals and general characteristics for the definition and specification of Project Support Environment (PSE) Interface (PSEI) standards for the Next Generation Computer Resources (NGCR) Program.

PSEI standards are essential to the timely and cost effective development of the majority of the next generation Navy mission critical computing systems. PSEI standards will assist the Navy in efficiently providing systems which address a wide range of performance levels, compatible computing service levels, and functionality levels.

These goals and characteristics provide general guidance to the NGCR Project Support Environment Standards Working Group (PSESWG) in the selection of PSEI standards. It is expected that more specific goals and characteristics will be defined within particular PSE service areas to guide the selection of individual PSEI standards.

Each general goal and characteristic is described in a subsection of this document. In addition, each general characteristic description includes evaluation criteria with a scoring scheme. It is intended that these evaluation criteria be used for subjective scoring and analysis of competing standards; quantitative scoring should only be applied to the specific characteristics defined for a particular PSE service area.

1.2. Terminology

The goals and characteristics in this document are presented informally and at a fairly abstract level. It may not be possible or even desirable to make this document precise. However, consistent usage of terms will evolve in subsequent revisions of this document.

2. Goals

2.1. Transportability of Data, Tools and Users

Transportability is measured in the degree to which the change to a different PSE can be accomplished without rework.

Data transportability refers to the ability to move project related data to a different PSE without change to the representation format of that data.

Tool transportability refers to the ability to install a tool on a different PSE without changing its implementation.

User transportability refers to the ability of a PSE user to move to a different PSE without requiring retraining on the PSE user interface and/or on the included PSE tools.

2.2. Quality Interface

The goals associated with the quality of PSEI standards address characteristics of standards which directly or indirectly specify a feature of the interface that contributes to overall support environment desirability. These goals are both technical and psychological in nature. An acceptable interface standard will have high subjective or objective scores in as

General Goals and Characteristics for PSEI Standards

many of the stated goals for quality as possible. Quality goals have been grouped into seven broad categories for comparison purposes.

"Modularity"

Interface standards will be of high quality if they are self contained, well defined, and exhibit the technical features of high cohesion and low coupling. For example, interfaces which have no coupling are pairwise orthogonal and will not interact or conflict with each other in any way.

"Simplicity"

The client-to-interface relationship in a high quality standard will be straight forward and uncomplicated. This is not to be construed as unsophisticated or of minimal functionality.

"Minimal Definition"

This goal specifies that there be no excess specification in the standard, or that the standard consists of primitives and control of those primitives only. An ideal standard will have a minimal specification.

"Testability"

The interface defined by a quality standard will be testable. Further, test suites or benchmarks will be available against which to measure performance and compliance to a standard. This characteristic is intended to include the concept of "Built-In-Test" (BIT) provisions.

"Friendliness for User and Buyer"

This goal requires that in order for a PSEI to be a quality interface it must be understandable, have a high degree of safety and confidence associated with it, be robust, and be recognized as such by both buyers and users. "Buyer" is used here to mean the Program Manager putting together an acquisition package to configure a PSE for his project. It is insufficient that only highly technical individuals be able to determine the benefit and power of a particular interface standard.

"Producibility"

This goal is the combined effect of those elements of a design and the planning for a design that enables an item to be produced in the least amount of time with the least cost, while still meeting the necessary quality and performance requirements. Producibility applies equally to issues concerning software, firmware, hardware, and system and interface specification and production. By definition, producibility must be integral with all aspects of a PSE from development of the initial concept through acceptance testing of the delivered system. Continuous evaluation and consideration of producibility is particularly important when meeting the stringent requirements of mission critical computing systems which may require the efficient interaction of complex, heterogeneous, modularized backplane bus architectures or the utilization of a single, dedicated processor. Attention to producibility in the development phase of a system, whether it is complex or simple, will enhance operability throughout the system's life cycle, from initial fielding through retirement.

"PSE Extensibility"

Like many other goals, quality goals shall be compatible with and expandable under other PSE specifications. This is intended to include the concepts of open-ended specifications and upgradable growth potential.

2.3. User Confidence

General Goals and Characteristics for PSEI Standards

In large measure, the success of any standard depends on user confidence. When the standard is reflected in the specification of an interface, user confidence is all the more important. Developers of products on either side of the interface are likely to be impacted in ways requiring modifications of existing products or products under development in order to meet the interface specification. In addition, there is the potential for concerns to be raised regarding robustness (will I be able to do all that I want across the interface), ambiguity (will the specification be liable to variable interpretation by implementors), efficiency (will the specification admit to efficient implementations), and orthogonality (will adoption of this interface specification preclude or interfere with choices for other interfaces or products). Adoption of standard interfaces results in new constraints on users while holding out the promise of future benefits in product portability, interoperability, and maintainability. User confidence in the interface specification is essential if he is to be asked to invest in it today on the basis of a promise of future benefit. Consequently, user confidence is a significant goal for all NGCR products, and for the planned PSEI specifications in particular.

2.4. Long Life-time Project Support

All PSEs must be developed with a view toward a long, useful life-time. Consideration must be given to insuring that the most current technology is employed within the system under development or modification. Use of technology, even though advanced and state-of-the-art or state-of-the-practice, must be proven in real, current systems to engender user support and confidence. The risks for implementation of the system or interface technology should be analyzed and judged acceptable prior to production decisions.

To insure long-life usefulness of a system, it is imperative that the issues of growth and modernization of a system be considered early. New technologies, even those just now on the horizon, must be examined for potential future inclusion in the current developmental or operational system. The system design, insofar as possible, must be logically modeled in such a way as to ensure extensibility in the future. Technology insertion must be a primary driver in developing specifications and standards to insure system operability with future technology. Strategies to identify and capture future technology must be examined. Strong consideration must be given to using commercial off-the-shelf (COTS) software in an effort to drive down costs and add vendor support. This characteristic maps directly to OSI/ISO standards and specifications under review within the NGCR Program.

The projected life cycle of the system should be evaluated from initial concept, given current mature technology and developmental items which may also effect long term operation. Factors effecting the operating environment must also be considered in light of current and viewable future technology. Similarly, plans for lay-away and potential mobilization must be considered. The system and all its parts and the defined and developed interfaces may be required to operate on a ramp-up schedule basis after some extended period of dormancy. Consequently, the logicalization of a system must be such that long life can be achieved.

2.5. Reduced Navy Cost

Currently, a PSE is developed specifically for the MCCR of each weapons system, and is usually rebuilt several times during the life of the system, just as is the weapons system itself. By providing a clear path for PSE development and upgrade for the MCCR of a weapons system, the cost of first time development of PSEs for MCCR will be reduced as well as upgrade and maintenance phases of the PSEs. Cost can be reduced by minimizing

General Goals and Characteristics for PSEI Standards

the cost to migrate software products between PSEs; for example from subcontractor to prime contractor to governmental PSE.

2.6. NGCR Program Support

Many of the other goals in this section are also goals for the whole NGCR Program. This section describes those goals or constraints imposed on interface specifications which are due to limits and constraints imposed by the NGCR Program itself. These goals are not primarily technical in nature. The NGCR Program has several goals, such as the goal that the interface specifications should be non-proprietary, or that the specifications should have wide industry use and support. However, these goals are technical goals based on the higher level goals of getting more current technology at lower prices into Navy computer systems.

The major programmatic goals are based upon the program deadlines. The program plan calls for the NGCR PSEI standard to be in place by 1998. The interface specifications chosen for inclusion in the standard must be mature enough by 1996 to be included in the draft standard. Those interface areas that have no mature, industry accepted interface specifications by the 1996 time-frame can not be included in the standard.

Another programmatic goal is that the standards of the NGCR Working Groups should be usable together when building systems. This goal applies less to the PSEI standard than to the others because PSEs do not need to be built to real-time mission-critical requirements, but only need to be able to produce systems that are. In addition, it is a fundamental premise of the NGCR Program that standards selected by the Navy reflect an "open systems" approach. Thus, standardization on proprietary designs is to be avoided.

2.7. Tool Integration

The use of tools for project management, engineering, debugging, testing, and data management provides some relief from the complexities of development that modern systems generate. However, the present lack of integration of these tools does not allow manual steps to be eliminated in moving data between the various tool groups. Often, project management must generate paper charts for the design phase; test results must be transferred by disk or paper to data repositories. Additional manpower is required when training and experience does not reach across all of the tools.

Integration of these tools in a common framework with a common user interface and databases would truly release their power. Project managers would have access to design data for insights on project schedules. Designers would be able to examine test results for performance information.

3. General Characteristics

3.1. Consistent with Other NGCR and PSESWG Interfaces

3.1.1. Definition

The interfaces chosen to be part of the NGCR PSEI standard should be consistent with each other and to a lesser degree should also be consistent with the other NGCR standards and general industry usage.

3.1.2. Relationships to Goals

General Goals and Characteristics for PSEI Standards

This characteristic helps build user confidence: when the interfaces are consistent and usable together there is less risk in using them. It also reduces Navy system engineering costs when the interfaces chosen for a project are known to be consistent. This characteristic also supports the NGCR Program Support goal.

3.1.3. Evaluation Criteria

10.....No inconsistencies found for candidate interface specification.

5.....Several minor inconsistencies found.

0.....Major inconsistencies found with two or more interfaces already chosen.

3.1.4. Rationale for Criteria

It is most important to look for inconsistencies with interface specifications already chosen for the PSEI standard, so it should be given the most weight when found. Inconsistencies with other candidates are of importance even if the other candidates are not chosen because they represent approaches chosen by industry. Being inconsistent with other industry approaches limits the participation of industry. The other NGCR standards are only weakly related to the PSEI standard, so those inconsistencies are given the least weight.

When an inconsistency is found it can be classified as either a major inconsistency or a minor inconsistency. Major inconsistencies should count much more against a candidate than minor inconsistencies. A major inconsistency implies that the two interface specifications could not be used together in the same system without a significant loss of functionality, while a minor inconsistency implies that a non-trivial work-around exists for the inconsistency allowing the two interfaces to be used together with only a minor loss of functionality. Two interfaces should not be considered inconsistent if a simple, trivial work-around allows both interfaces to be used together without loss of functionality.

3.2. Interface Sufficiency

3.2.1. Definition

A sufficient interface provides all necessary functionality to using applications. The degree to which this characteristic is satisfied may vary depending on the needs of a particular application or application domain.

3.2.2. Relationships to Goals

This characteristic supports the goals of User Confidence, Reduced Navy Cost, and Tool Integration.

3.2.3. Evaluation Criteria

General Goals and Characteristics for PSEI Standards

- 10All necessary functionality is directly available via the interface.
- 8All necessary functionality is either directly available, or else is available by composition of directly available functionality provided at the interface.
- 5Only commonly used functionality is directly available or available by composition of directly available functionality from the interface.
- 1All necessary functionality can be obtained, but may require adding significant modules that use the interface as a starting point.
- 0Significant necessary functionality is unavailable via the standard interface; it may either be completely unavailable, or else may only be available via proprietary extensions to the interface standard.

3.2.4. Rationale of Criteria

A standard interface is most useful if it provides all necessary functionality in its domain of applicability, rather than requiring applications to develop additional layers of code to provide the missing functionality. The necessity to develop additional functionality increases costs, and encourages the development of redundant and incompatible solutions to the missing functionality.

3.3. Extensible Interface

3.3.1. Definition

An extensible interface is an interface standard which allows upward mobility for new products by an extension path.

3.3.2. Relationships to Goals

This characteristic directly supports the goal of Quality Interface (PSE Extensibility). An extensible interface is vital to Transportability of Tools and Data, and indirectly supports the goal of Reduced Navy Cost. As new tools are developed, they will begin to obsolete the interface as it is originally designed.

3.3.3. Evaluation Criteria

- 10Extensibility has been demonstrated.
- 5Extensibility features exist but have not been demonstrated.
- 0No extensibility features exist or extensibility attempt was unsuccessful.

3.3.4. Rationale for Criteria

Demonstrated extensibility provides evidence that the interface will support future enhancements without major changes to applications using the current interface.

3.4. Lasting Interface Technology

3.4.1. Definition

General Goals and Characteristics for PSEI Standards

The interface is in use at the time of its selection for incorporation into the PSEI standard, and will be in wide use for a useful period of time following the adoption of the PSEI standard.

3.4.2. Relationships to Goals

This characteristic supports the primary goal of Long Life-time Project Support and the secondary goals of Tool Integration, NGCR Program Support, Reduced Navy Cost, and User Confidence.

3.4.3. Evaluation Criteria

- 10.....The candidate interface is widely used commercially, and is the clear choice by users, where applicable, over any competition.
- 5.....The candidate interface is available commercially on a number of platforms, and is the clear choice by users where available. However, the candidate interface has competition which is equally available and utilized by users on other platforms.
- 0.....The candidate interface is not widely available, and has multiple competitors available at least as widely on the same or different platforms.

3.4.4. Rationale for Criteria

This is a subjective prediction based upon the assumption that a PSE service area that is experiencing intense competition is not likely to have settled on a stable choice.

3.5. Technology Utilization

3.5.1. Definition

The specification of a PSEI standard should embody state-of-the-practice technology, and should be implementation independent.

3.5.2. Relationships to Goals

This characteristic supports the goals of Long Life-time Project Support and Tool Integration.

3.5.3. Evaluation Criteria

- 10.....The specification reflects state-of-the-practice and does not depend on a particular implementation technology.
- 5.....The use of the specification is expected to decline over the life-time of the PSEIs, or is bound to a particular implementation technology.
- 0.....The specification reflects obsolete technology and is unlikely to be used in the near future.

3.5.4. Rationale for Criteria

We want to select specifications that will be usable during the life-time of the PSEIs and which will incorporate newer technology.

3.6. Stability of Interface Specification

General Goals and Characteristics for PSEI Standards

3.6.1. Definition

An interface specification needs to be relatively stable over the life-time of the PSEI standard, with incompatible changes unlikely, if it is to provide a useful level of PSE compatibility.

3.6.2. Relationships to Goals

This characteristic supports the goals of User Confidence, Reduced Navy Cost, and Tool Integration.

3.6.3. Evaluation Criteria

- 10 The candidate interface is not expected to undergo major or frequent incompatible changes.
- 5 The candidate interface is expected to undergo minor or infrequent incompatible changes.
- 0 The candidate interface is likely to undergo major or frequent incompatible changes.

3.6.4. Rationale for Criteria

An interface that is subject to major or frequent incompatible changes will require excessive rework.

3.7. Compatibility With Older Versions

3.7.1. Definition

The specifications chosen to be part of the NGCR PSEI standard should be compatible with respect to data and function of older versions.

3.7.2. Relationships to Goals

The characteristic of upward compatibility will build user confidence and provide consistency. It will reduce Navy project costs by reducing user retraining and data conversion time. This characteristic directly supports the goal of Long Life-time Project Support.

3.7.3. Evaluation Criteria

- 10 Completely compatible with older versions.
- 5 Several minor inconsistencies with older versions.
- 0 Major inconsistencies with older versions.

3.7.4. Rationale for Criteria

Complete upward compatibility is the goal for a NGCR PSEI standard interface.

It is possible to move upward with a few minor inconsistencies, however retraining and conversion costs will be incurred.

An interface which requires major retraining and conversion efforts should not be considered upwardly compatible.

General Goals and Characteristics for PSEI Standards

3.8. Support Exists For Interface Specification

3.8.1. Definition

Support for the interface specification exists in the form of actively meeting users' groups or technical conferences, publically available tutorials or training courses, and publications (textbooks, etc.).

3.8.2. Relationships to Goals

This characteristic supports the goals of User Confidence, Long Life-time Product Support, and NGCR Program Support.

3.8.3. Evaluation Criteria

10Regularly meeting users' groups, technical conferences, publically available tutorials or training courses, and currently published technical books or documentation exist that provide technical support for the interface specification.

5Technical books or documentation exist, but there are no regular meetings of technical organizations related to the interface specification; consequently, technical support is limited.

0No publically available support exists.

3.8.4. Rationale for Criteria

Users will perceive more risk without the availability of active users or experts in the use of the interface. They will incur higher costs, especially during first time use, without technical help providing answers to questions and lessons learned.

3.9. Stature of Sponsoring Organization

3.9.1. Definition

The specification should be an international (*e.g.*, ISO) standard as opposed to a Navy-only or DoD-only standard.

3.9.2. Relationships to Goals

This characteristic supports the goals of User Confidence, Long Life-time Project Support, and NGCR Program Support.

3.9.3. Evaluation Criteria

General Goals and Characteristics for PSEI Standards

- 10.....Approved standards developed by accredited international bodies.
- 10.....Approved standards developed by accredited regional bodies.
- 10.....Approved standards developed by accredited national bodies.
- 8.....Draft standards developed by accredited international bodies.
- 8.....Draft standards developed by accredited regional bodies.
- 8.....Draft standards developed by accredited national bodies.
- 6.....Recognized *de facto* standards and specifications developed by non-accredited bodies using an open forum.
- 4.....Approved standards and specifications developed by non-accredited international standards bodies using a closed forum.
- 4.....Approved standards and specifications developed by non-accredited national standards bodies using a closed forum.
- 2.....Product.
- 0.....None of the above.

3.9.4. Rationale for Criteria

A goal stated in the POM is to adopt commercial standards. Vendors and users alike will use a standard that has wide acceptance. A larger audience will exist for building experience and evolving the standard.

3.10. Availability of Suitable Documentation

3.10.1. Definition

In addition to the specification itself, documentation for at least the implementor and user should exist.

3.10.2. Relationships to Goals

This characteristic supports the goals of Quality Interface, User Confidence, Reduced Navy Cost, and NGCR Program Support.

3.10.3. Evaluation Criteria

- 10.....Multiple sources for detailed documentation of various types are available.
- 5.....Only minimal set of documentation exists.
- 0.....Nothing in addition to the specification is available.

3.10.4. Rationale for Criteria

Detailed documentation with illustrative examples is essential to insure broad use of the interface specification and to maximize interoperability.

General Goals and Characteristics for PSEI Standards

3.11. Navy Influence in Community Maintaining Interface

3.11.1. Definition

The Navy must have the ability to propose changes to the interface standard with the expectation of a fair hearing on the proposal's merits. This requires a formal, documented mechanism for change proposal and change evaluation. The Navy must not be at a disadvantage with respect to other users of the interface when seeking to modify the interface definition or to guide the direction of its evolution. It is not required that the Navy control the interface maintenance activity, but merely that the Navy have some real ability to influence the decision process with regard to changes in the interface.

It is further required that a formal process be documented for reporting problems discovered with the interface standard. The process must include a mechanism for establishing the priority of problem reports for consideration by the community maintaining the interface.

3.11.2. Relationships to Goals

The ability of the Navy to influence the community maintaining the interface is important to several of the Navy's top level goals, including development of sufficient user confidence in the interface standards and reduction of Navy costs. In addition, it is tightly coupled with NGCR Program objectives.

3.11.3. Evaluation Criteria

- 10Expect most Navy interests to be in common with most other constituents.
- 5Expect some Navy interests to be in common with many other constituents.
- 0Expect Navy's views to be in minority on most issues.

3.11.4. Rationale for Criteria

The NGCR Program seeks to reduce costs through adoption of commercially-supported interface standards. The adoption of such standards, however, means a loss of full control over the interfaces. Consequently, the assurance of user confidence in the interface standards, which is itself necessary for success in achieving a practical standard, demands appropriate Navy influence within or upon the community responsible for maintaining the interface. The Navy is likely to have the best chance of exerting this influence where its interests are most in common with other users of the standard.

3.12. Acceptance by Commercial Providers

3.12.1. Definition

The interface standard must not only be embraced by weapon systems developers who also build support environments, but also by commercial entities who must build products to meet the specification.

3.12.2. Relationships to Goals

This characteristic is related to the goals of User Confidence, Long Life-time Support, Reduced Navy Cost, and NGCR Program Support.

3.12.3. Evaluation Criteria

General Goals and Characteristics for PSEI Standards

- 10.....Commercial providers actively support specification development and have available products.
- 5.....Commercial providers are supporting specification development, but are building prototype products.
- 0.....Commercial providers are ignoring the NGCR PSEIs and are building products to other or no standards.

3.12.4. Rationale for Criteria

A stated goal of the NGCR Program is to work with commercial interests to develop specifications. These commercial interests must be actively supporting the specification development and show their understanding and perception of low risk by using the standards developed for their product lines.

3.13. Nonproprietary Interface Specification

3.13.1. Definition

An interface specification is nonproprietary if either it is not based on the interfaces exported by a particular proprietary product, or else the vendor of the proprietary product has released the exported interface specification into the public domain so that competing vendors can build to the interface without paying for the privilege.

3.13.2. Relationships to Goals

This characteristic supports the goals of Transportability, Long Life-time Project Support, Reduced Navy Cost, and NGCR Program Support.

3.13.3. Evaluation Criteria

- 10.....The interface specification is a formal standard (*e.g.*, ISO, ANSI, IEEE, *etc.*).
- 8.....The interface specification is an industry standard implemented by multiple vendors without royalties to an "owner".
- 5.....The interface specification is an industry standard implemented by multiple vendors, but licensed by an "owner" to those vendors.
- 1.....The interface specification is an industry standard implemented by multiple vendors, but the implementation must be acquired from the "owner".
- 0.....The interface specification is implementable by only one vendor.

3.13.4. Rationale for Criteria

Proprietary interface specifications conflict with the goal of expanding competition and increasing product availability.

3.14. Low User Risk

3.14.1. Definition

General Goals and Characteristics for PSEI Standards

In order to be successfully used in weapon system development programs, especially during the Engineering and Manufacturing phase, the specification must appear to be low risk to the user. Otherwise, the user will pursue waivers or "work-around" strategies.

3.14.2. Relationships to Goals

This characteristic supports the goals of Quality Interface (Simplicity, Testability and Friendliness), User Confidence, Long Life-time Project Support, and Reduced Navy Cost.

3.14.3. Evaluation Criteria

- 10Standard has been successfully used on a prior program, and is adequately supported.
- 5Standard has been used in a prototype with a substantial body of information indicating it can be used successfully on a real program.
- 0Standard has not been used on a real program.

3.14.4. Rationale for Criteria

All weapons system development decisions are based in large part on perceived as well as measured risk. In the later phases of development, less risk is allowable. The user must feel that the level of risk is acceptable, or he/she will not use the standard.

3.15. Language Bindings Exist

3.15.1. Definition

Many of the interface specifications will require an application programming interface (API) so that tool builders and integrators can write programs that access the services. Some interfaces are specified in a language-independent manner rather than in a particular programming language. This is especially true of international specifications. To meet goals for portability, the interface specification must include language bindings for the major programming languages used for developing PSEs: Ada and C.

3.15.2. Relationships to Goals

This characteristic is needed to achieve the goal of tool and user portability. Standard language bindings allow tools to be transported by recompiling on the new system. This characteristic also makes tool integration easier and will reduce the PSESWG effort needed to produce a standard that includes a language binding for the interface.

3.15.3. Evaluation Criteria

- 10has both Ada and C binding standards.
- 6has binding standard in Ada only.
- 4has binding standard in C only.
- 0has no Ada or C binding standard available.

3.15.4. Rationale for Criteria

(Note: this characteristic is not applicable to specifications that do not need an API.) The two major languages for current PSE development are Ada and C. Other languages were not considered because bindings in those languages would not significantly aid in achieving

General Goals and Characteristics for PSEI Standards

binding standards in these two important languages and it is expected that few environments would require other language bindings. Ada is given priority over C because of the emphasis within DoD on the use of Ada.

Also, there are 4 levels of binding status, with priority or value decreasing from top to bottom:

- a.Binding standard exists.
- b.Draft standard or industry *de facto* standard exists
- c.A base-line specification that can be used to start a standardization effort exists.
- d.No binding exists

3.16. Conformance Tests are Available

3.16.1. Definition

Conformance tests are used to evaluate a candidate product's conformance to a particular standard by running tests on that product.

3.16.2. Relationships to Goals

This characteristic supports the goal of User Confidence, Data Transportability and Quality Interface (Testability).

3.16.3. Evaluation Criteria

- 10Formal/rigorous/complete conformance tests are available.
- 5Some conformance tests are available.
- 0Conformance tests are not available.

3.16.4. Rationale for Criteria

Any level of conformance testing is better than nothing, but partial conformance testing may give a false impression of the quality or level of conformance.

3.17. Transportable Data

3.17.1. Definition

The data produced by a PSEI specification should be transportable between tools and environments without major conversion.

3.17.2. Relationships to Goals

When data is transportable between tools and environments without major conversion, the cost of Navy systems is reduced and user confidence in the data is increased. Transportability of data allows the user to consider a wider variety of interfaces and removes the need for specialized products.

3.17.3. Evaluation Criteria

General Goals and Characteristics for PSEI Standards

10.....Data is transportable between tools and environments.

5.....Minor conversion is necessary in order for the data to be transported.

0.....Major conversion is necessary to transport data.

3.17.4. Rationale for Criteria

Having the capability to transport data between interfaces reduces the cost of Navy systems and increases the user's confidence in the data. The more transportable the data is with other PSEIs, the more open the selection will be when choosing a project environment.

Transportability can be achieved with several minor inconsistencies in the data. Navy project costs are increased by data conversion efforts and user confidence in the data is decreased.

A major conversion effort implies that two interfaces cannot exchange data. The project environment selection would be limited.

3.18. Heterogeneous Distribution

3.18.1. Definition

A heterogeneous distributed system is a collection of multiple, independent but logically related heterogeneous processors connected by a computer network. It permits the development and manipulation of distributed data and functions on disparate systems while making the distribution transparent to the user and provides user control, as necessary. Heterogeneous distributed systems allow data to be entered, processed, and stored where it is generated, shared with different sites, and replicated to give users the option of accessing copies of data in the event of a site or network failure.

3.18.2. Relationships to Goals

This characteristic supports the goals of Quality Interface (PSE Extensibility), Transportable Data, Reduced Navy Cost, and Long Life-time Project Support.

3.18.3. Evaluation Criteria

10.....Specification has demonstrated support for heterogeneous distributed systems.

5.....Specific support for heterogeneous distributed systems is minimal, but nothing precludes support.

0.....Not useful in a heterogeneous distributed system.

3.18.4. Rationale for Criteria

Evaluation criteria for heterogeneous systems must examine heterogeneity issues in areas such as the following:

General Goals and Characteristics for PSEI Standards

- a.existing/planned hardware/firmware/software
- b.current and future operating systems
- c.communications protocols
- d.communications links
- e.data management systems
- f.data models
- g.data manipulation languages and transaction management protocols

Site autonomy, with each site in the heterogeneous distributed system maintaining control and privacy of data, must be preserved while allowing users to commonly share data at varied sites. Continuous operation of the system must be preserved with no system-wide down time for random or planned events. Data location, fragmentation, and replication must be transparent to the user and to any shared applications. Systems operations must be, during performance and conformance testing, as well as long-term operation, hardware, operating system, and network independent from the user's viewpoint.

To obtain a high degree of reliability, availability, maintainability, and stability from heterogeneous distributed systems, the transparent communication of data must be available across multiple sites. Dynamic processing of common data and communications must deal with the analysis, optimization and execution of distributed processing while each site carries on its own local execution load. This must occur transparently while aspects of the network are subjected to varying traffic patterns and bottlenecks. The development of new, heterogeneous distributed processing technology is stimulating the development of applications that require support for distributed communications and data processing. In turn, the ability to share data from environment to environment must be based on proper system integration and system cooperation in order to reduce long term system development and operation costs and improve user productivity.

3.19. Hardware Independent

3.19.1. Definition

Hardware independence indicates the degree a configuration item (software, hardware, interface, standard) depends on the hardware and operating system of a particular host.

3.19.2. Relationships to Goals

By definition, hardware independence is crucial to the transportability of data and tools without standardizing on a particular hardware product. This characteristic also supports the goals of User Confidence, Long Life-time Project Support, and Reduced Navy Cost.

3.19.3. Evaluation Criteria

General Goals and Characteristics for PSEI Standards

10.....is completely independent of the host hardware and operating system.

6.....depends on host operating system.

4.....depends on host hardware.

0.....depends on both hardware and software.

3.19.4. Rationale for Criteria

Since popular operating systems are usually developed to be hardware-independent themselves (*e.g.*, Unix), standardization of an interface on a particular operating system product does not impact transportability as much as hardware standardization.

3.20. Security

3.20.1. Definition

The PSE interfaces must be compatible with commercial and government definitions of security requirements. There are differences in requirements between military users of secure services and commercial users seeking protection from unauthorized disclosure of and access to data and processes. Security provisions for PSE interfaces must support both concepts of security mentioned previously. Many of the security services which must be specified in PSE interfaces will be transparent to users when the system is running.

Security provisions are most commonly defined in the U.S. using the terms, concepts, and requirements of the Department of Defense Trusted Computer System Evaluation Criteria (TCSEC) [DOD 5200.28-STD]. These are appropriate for NGCR PSE interfaces as well. The Computer System Laboratory (CSL) of NIST, as part of its program to promulgate technical computer security guidelines, has published the Computer Security Subsystem Interpretation of the TCSEC which provides further rationale and definitions pertinent to security implementations on computer-based systems.

3.20.2. Relationships to Goals

Classified data will be processed, at a minimum, by operating systems, networks, and database products, and will be passed from one phase of program development to another. This may include transferring from one PSE to another. Interface specifications which provide proper support to security considerations support the Transportability, Quality Interface, Long Life-time Project Support, Reduced Navy Cost, and Tool Integration goals.

3.20.3. Evaluation Criteria

10.....Specification has been implemented with multilevel secure provisions.

5.....Specification does not prohibit security provisions.

0.....Specification is not adequate to support security provisions.

3.20.4. Rationale for Criteria

The security characteristic must be assurable for any PSE which could host secure data in any phase of project life. However, if a particular PSE will never host secure data, the security requirements need not apply. Security standards exist in two broad categories: 1)

General Goals and Characteristics for PSEI Standards

specifications for DoD Trusted Computer Systems provided in a series of DoD documents, and 2) encryption and authorization standards for privacy and proprietary control in commercial systems.

Navy PSEs will be required to store, process, and transfer classified data with secure methods satisfying DOD security standard requirements. A PSEI which does not provide adequate provisions for secure interfaces will not support Navy projects with classified data and processing requirements.

PSEIs such as those for operating systems, networks (local and wide area), and database systems which process secure data must be supportable in a PSE with multilevel security provisions.

General Goals and Characteristics for PSEI Standards

Appendix A. Mapping of Goals to Characteristics

	2.1 Transportability of Data, Tools and Users	2.2 Quality Interface	2.3 User Confidence	2.4 Long Life- time Project Support	2.5 Reduced Navy Cost	2.6 NGCR Program Support	2.7 Tool Integration
3.1 Consistent\ with other\ NGCR and\ PSESWG Interfaces		X	X			X	
3.2 Interface Sufficiency			X		X		
3.3 Extensible Interface		X			X		
3.4 Lasting Interface Technology				X			
3.5 Technology Utilization		X		X			X
3.6 Stability of Interface Specification			X		X		X
3.7 Compatibility with Older Versions			X	X	X		
3.8 Support Exists for Interface Specification			X	X		X	
3.9 Stature\ of Sponsoring Organization			X				
3.10 Availability of\ Suitable Documentation		X	X		X		X

General Goals and Characteristics for PSEI Standards

3.11 Navy Influence\ in Community Maintaining Interface					X	X	
3.12 Acceptance\ by Commercial Providers			X				
3.13 Nonproprietary Interface Specification	X				X	X	
3.14 Low User Risk		X	X	X	X		
3.15 Language Bindings Exist	X		X	X			X
3.16 Conformance Tests\ are Available		X	X		X	X	
3.17 Transportable Data	X						
3.18 Heterogeneous Distribution	X	X		X			X
3.19 Hardware Independent	X		X	X	X		X
3.20 Security	X	X		X	X		

NAWCADWAR-92104-70

Distribution List

Mr. Morris J Zwick
VITRO CORPORATION
14000 GEORGIA AVENUE
4-2309
SILVER SPRING, MD 20906-2972

Distribution List

Eric Tissue
 SYSCON CORPORATION
 9841 BROKEN LAND PARKWAY
 SUITE 210
 COLUMBIA MD 21046

Bob Titus
 INTEGRATED MICROCOMPUTER SYSTEMS
 P.O. BOX 1705
 DAHLGREN VA 22448

Richard W Tobaben
 TEXAS INSTRUMENTS
 P.O. BOX 801
 M/S 8016
 MCKINNEY TX 25069

My-hanh Nguyen Trinh
 NAVAL SURFACE WARFARE CTR.
 10901 NEW HAMPSHIRE AVE.
 CODE U33
 SILVER SPRING MD 20903-5000

Lt Pete Vaccaro
 HQ AFSC/ENSS
 ANDREWS AFB MD 20334-5000

Ramiro Valderrama
 TASCON
 9807 RALEIGH TAVERN CT.
 SUITE 100
 BETHESDA, MD 20814

Ellen Waldrum
 TEXAS INSTRUMENTS
 P.O. BOX 869305
 M/S 8513
 PLANO TX 75086

Neal Walters
 IBM 250/059
 9500 GODWIN DR
 MANASSAS VA 22110

Carol Wawrzusin
 KAMAN SCIENCES CORP.
 258 GENESEE ST
 SUITE 103
 UTICA NY 13502

Rosa Weber
 HONEYWELL
 3660 TECHNOLOGY DRIVE
 MN65-2100
 MINNEAPOLIS MN 55418

Dr. Thomas Wheeler
 (201) 571-4468
 MONMOUTH COLLEGE CS DEPT
 WEST LONG BEACH NJ 07764

Robert Wilkinson
 CODE 301
 NEW LONDON, CT 06320

Vickie L Williams
 NAVAL WEAPONS SUPPORT CENTER
 BLDG 2044 CODE 6045
 CRANE IN 47522-5060

Stan Willner
 CODE 351
 BETHESDA, MD 20084-5000

Mark L Wilson
 NAVSWC - WO
 CODE N14
 NEW HAMPSHIRE AVE.
 SILVER SPRING MD 20903-5000

Wendell Wilson
 HUGHES AEDFG
 P.O. BOX 902
 SIDE E0. BLDG E1
 EL SEGUNDO, CA 90245

David L Wiseman
 SCIENTEX
 1750 NEW YORK AVE. NW
 WASHINGTON, DC 20006

Tom Wishart
 WESTINGHOUSE
 P. O. BOX 746
 M/S 4240
 BALTIMORE, MD 21203

William Wong
 TECH BLDG. ROOM B266
 GAITHERSBURG, MD 20899

Richard J Wood
 ROME LABORATORY
 SURVEILLANCE DIRECTORATE/OCTS
 GRIFFISS AFB, NY 13441

Nicholas Wybolt
 CADRE TECHNOLOGIES INC.
 222 RICHMOND STREET
 PROVIDENCE, RI 02903

Marvin Zelkowitz
 UNIVERSITY OF MARYLAND
 DEPT. OF CMSC
 UNIVERSITY OF MARYLAND
 COLLEGE PARK, MD 20742

Bernard Zempolich
 B.A. ZEMPOLICH AND ASSOC., INC.
 7004 LYLE ST.
 LANHAM, MD 20706

Distribution List

Dennis W Smolak
RESOURCE SPECTRUM INC.
1213 JEFF. DAVIS HWY
SUITE 1400
ARLINGTON, VA 22202

Michael D Snodgrass
UNISYS
P.O. BOX 64525
M/S U2H23
ST. PAUL MN 55164-0525

Jerry Snyder
TELEDYNE SYSTEMS CO
19601 NORDHOFF ST
NORTHBRIDGE CA 91324

Andrew F Sound
(619) 939-1286
COMMANDER (CODE 3922)
NAVAL WEAPONS CENTER
CHINA LAKE CA 93555

Charles B Sproull
NAVAL WEAPONS SUPPORT CENTER
ATTN: CODE 70523
CRANE, IN 47522-5070

Larry L Stabler
U. S. MARINE CORPS
MCRDAC
CODE C20S
QUANTICO VA 22134-5080

Laird Stanton
ARMY MATERIAL COMMAND
5001 EISENHOWER AVE.
ALEXANDRIA, VA 22333

Barry Stauffer
LOGICON
STRATEGIC & INFO. SYS.
2100 S. WASHINGTON BLVD
ARLINGTON VA 22204

David Stern
DATA PRODUCTS NEW
NEW ENGLAND
1725 JEFFERSON DAVIS HWY
ARLINGTON, VA 22202

Tom Strelch
GENERAL RESEARCH CORP
5383 HOLLISTER AVE
SANTA BARBARA CA 93111

toni) A.d Stuart. (
DON DASN (C4I EW/SPACE), NISM
BLDG. 166
WASHINGTON, DC 20374

Joseph A Sturno
GEC ELECTRONICS SYSTEMS CORP
164 TOTOWA RD
M/S 11C 84
WAYNE NJ 07474-0975

William Sudman
NAVAL AIR TEST CENTER
PATUXENT RIVER MD 20670

Elijah Sutton
DIGITAL EQUIPMENT CORP.
8100 CORPORATE DR.
SUITE 100
LANDOVER, MD 20785

W. Linwood Sutton
NAVAL OCEAN SYSTEM CENTER (NOSC)
CODE 411
SAN DIEGO CA 92152-5000

Capt. Sandra Swearingen
TIC/TISC
US AIRFORCE
SCOTT AFB, IL 62225-6343

Marti Szczur
NASA/GODDARD SPACE FLIGHT CENTER
CODE 522
GREENBELT MD 20771

Darryl Taft
GOVERNMENT COMPUTER NEWS
8601 GEORGIA AVE
SUITE 300
SILVER SPRING MD 20910

Katherine Talbert
LIBRASCOPE CORP.
M/S 805
833 SONORA AVE.
GLENDALE, CA 91201-2433

Alec Taylor
BOOZ, ALLEN
4330 EAST WEST HWY
SUITE N549
BETHESDA, MD 20814

Jacques Tazartes
LITTON GUIDANCE & CONTROL
M/S 82
5500 CANOGA
WOODHILL HILLS CA 91367

Lt. Col. Jim Thompson
AF/SCXS
ROOM 5C1067
THE PENTAGON
WASHINGTON DC 20330-8190

Distribution List

Edward C Rozelle
I-TECH SERVICES
6302 STONEHUNT WAY
CLIFTON, VA 22024

Dr. Andres Rudmik
SOFTWARE PRODUCTIVITY SOLUTIONS.
122 4TH AVE.
P. O. BOX 361697
MELBOURNE, FL 32936

Gene Ruminski
TELEDYNE BROWN ENG.
3700 PENDER DR
FAIRFAX VA 222030

Al Rurmke
LITTON DATA SYSTEMS DIV.
1755 JEFFERSON DAVIS HWY
SUITE 510
ARLINGTON VA 22202

Mel Saltzman
LORAL ELECTRONIC SYSTEMS
RIDGEHILL
M/S #39
YONKERS NY 10710

Frederick E Sauer
UNISYS CORP.
P.O. BOX 64525
M/S U2P22
ST. PAUL MN 55164-0525

David Scarborough
9500 GODWIN DRIVE
MANASSAS VA 22111

Douglas Schaus
PRC INC.
1235 JEFFERSON DAVIS HWY
SUITE 1211
ARLINGTON VA 22202

Sharon Scheller
NAVAL AIR WARFARE CTR
AIRCRAFT DIVISION
CODE 7033
WARMINISTER, PA 18974-5000

Edward J Scherneck
GE AEROSPACE
GESD M/S 14-346
BORTON LANDING RD
MOORESTOWN NJ 08057

Richard Schmidt
RATIONAL
6707 DEMOCRACY BLVD
SUITE 500
BETHESDA, MD 20817-1007

James A Schneider
INTEGRATED MICROCOMPUTER SYS.
P.O. BOX 1705
DAHLGREN VA 22448

David L Schwartz
GENERAL ELECTRIC CO.
P. O. BOX 4840
FRP1-A6
SYRACUSE NY 13221

Shahid N Shah
NAVAL SURFACE WARFARE CENTER
10901 NEW HAMPSHIRE
SILVER SPRING MD 20903

Michael Shapiro
CODE 411
SAN DIEGO, CA 92152-5000

Kenneth D Shere
AVTEC SYSTEMS, INC.
10530 ROSEHAVEN ST.
SUITE 300
FAIRFAX, VA 22030

Thomas E Shields
UNISYS TACTSYSDIV -STARS
12010 SUNRISE VALLEY DRIVE
RESTON VA 22091

Gary Shoupe
NAVAL COMPUTER & TELECOM COMMAND
CHIEF OF SOFTWARE ENG.
WASHINGTON DC 20394

Arthur Siegel
ELCO CORPORATION
8905 FAIRVIEW RD.
SILVER SPRING MD 20910

Vic Skullman
NAVAIR
CODE 54664
WASHINGTON DC 20361-5460

Alan L Smeyne
TELEDYNE SYSTEMS CO.
19601 NORDHOFF ST.
NORTHRIDGE CA 91324

Dennis Smith
AMP INC.
P.O. BOX 3608
HARRISBURG PA 17105

William R Smith
NAVAL RESEARCH LAB.
CODE 5150
WASHINGTON DC 20375-5000

Distribution List

Elwood Parsons
AMP INC.
MAIL STOP 210-20
P.O. BOX 3608
HARRISBURG PA 17105

Maria H Penedo
ONE SPACE PARK
M/S R2-2062
REDONDO BEACH, CA 90278

Judi Peterson
TISAC-(TRW)
00-ALC BLDG. 100
HILL AFB UT 84056

Scott Pilet
BOEING DEFENSE & SPACE GROUP
P.O. BOX 3707
M/S 4C-63
SEATTLE, WA 98124-2207

Robert Podleshy
PEO (CU)
CODE CE-3
CRYSTAL GATEWAY 4
WASHINGTON DC 20361

Susan S Poh
IBM/SI&S
2277 RESEARCH BLVD.
ROCKVILLE MD 20850

Marshall Potter
NAVAL INFO. SYS. MGMT. CTR.
WASH. NAVY YARD
WASHINGTON, DC 20374

Ric Pozo
HUGHES AEDFG
P.O. BOX 902
SIDE E0 BLDG. E1
(213) 607-0918 FAX
EL SEGUNDO CA 90245

Gilbert E Prine
ANDRULIS RESEARCH CORP.
4550 MONTGOMERY AVE.
BETHESDA MD 20814

Gary Pritchett
SOFTECH
10875 RANCHO BERNEUDO RD.
SAN DIEGO CA 92127

Thomas Probert
ENCORE COMPUTER
257 CEDAR HILL ST.
MARLBOROUGH MS 01752

Leo M Puckett
SEMCOR
2711 JEFFERSON DAVIS HWY
ARLINGTON VA 22202

Martin L Pullam
LITTON INDUSTRIES/ACD DIV
400 PARK ROAD
WATERTOWN CT 06795

Jim Purtilo
UNIVERSITY OF MARYLAND
COMPUTER SCIENCE DEPT
COLLEGE PARK MD 20742

Ron Randel
COMPUTER SCIENCES CORPORATION
304 WEST ROUT 38
53/417
MOORESTOWN, NJ 08057

James J Reed
KAMAN SCIENCES CORP.
UTICA OFFICE
258 GENESEE STREET
SUITE 103
UTICA, NY 13503

Mary Rehm
THE AEROSPACE CORP.
P.O. BOX 9045
ALBUQUERQUE, NEW MEXICO 87119

Else Revera
TEXAS INSTRUMENTS
P.O. BOX 869305
M/S 8513
PLANO TX 75086

Judith Richardson
US ARMY CECOM
MONMOUTH COLLEGE
CS DEPARTMENT
WEST LONG BEACH NJ 07764

Tracy Riddle
SPAWAR
DEPT. OF NAVY
BLDG. NC1 PMW-141 3E90
WASHINGTON, DC 20363-5100

Christopher B Robbins
CONTROL INC.
2000 N. 14TH ST.
SUITE 220
ARLINGTON VA 22201

George Robertson
FCDSSA CODE 8D
200 CATALINA BLVD
SAN DIEGO, CA 92147

Distribution List

James R Milligan
AIR FORCE SYSTEMS COMMAND
ROME LAB
RL/C3CB
GRIFFIS AFB, NY 13441

Bill Mitchell
ROCKWELL INTERNATIONAL
1745 JEFFERSON DAVIS HWY
SUITE 1100
ARLINGTON VA 22202

Michael F Mitrione
DYNAMICS RESEARCH CORPORATION
1755 JEFFERSON DAVIS HWY
SUITE 802
ARLINGTON VA 22202

Lynn Mohler
U.S. ARMY MATERIAL COMMAND
ATTN: AMCCE - PSE
5001 EISENHOWER AVE.
ALEXANDRIA VA 22333

Dave Mokry
BLDG. 141
ST. INIGOE MD 20684-0010

John W Moller
CRUISE MISSILES PROJECT
CRYSTAL GATEWAY 4
PMA-281T
WASHINGTON DC 20361

John Monacci
FCDSSA
CODE 6114
VIRGINIA BEACH VA 23461-5300

Bryan Monaghan
INTERMETRICS INC.
4733 BETHESDA
SUITE 415
BETHESDA MD 20814

Tamra Moore
NAVAL SURFACE WARFARE CENTER
CODE U33
10901 NEW HAMPSHIRE AVE.
SILVER SPRING MD 20904

Carol Morgan
2800 SHIRLINGTON RD
SUITE 600
ARLINGTON, VA 22206

Joseph F Morin
SOFTWARE ENGINEERING INSTITUTE
CARNEGIE MELLON UNIVERSITY
PITTSBURGH, PA 15213-3890

Sandra Mulholland
ROCKWELL INT'L
400 COLLINS ROAD N.E.
M/S 124-211
CEDAR RAPIDS, IA 52498

Robert Munck
PARAMAX
STARS/PCIS
12010 SUNRISE VALLEY DR.
RESTON, VA 22091

Myron Myers
DIGITAL EQUIPMENT CORP.
8100 CORPORATE DRIVE
LANDOVER MD 20785

Betty J Nash
GEODYNAMICS CORP.
5285 SHAWNEE RD.
SUITE 400
ALEXANDRIA VA 22312

Philip Nau
1 FEDERAL SYSTEMS PARK DR.
FAIRFAX VA 22033

James B Nelson
INTERNATIONAL SOFTWARE SYSTEMS, INC
9430 RESEARCH BLVD.
ECHELON IV, SUITE 250
AUSTIN, TX 78759

Kelly Norris
CODE 6045
CRANE IN 47522

Patricia Oberndorf
NAVAL AIR WARFARE CTR.
AIRCRAFT DIVISION
CODE 7031
WARMINSTER PA 18974-5000

Bill Orr
CODE 2492
ST. INIGOE MD 20684-0010

Glenn M Ozaki
CONVEX COMPUTER CORPORATION
7501 GREENWAY CENTER DRIVE
GREENBELT MD 20770

Robert Page
NAVAL AIR WARFARE CTR.
WEAPONS DIVISION
CODE 3916 (C2616)
CHINA LAKE, CA 93555-6001

Teresa Park
NAVAL SURFACE WARFARE CENTER
10901 NEW HAMPSHIRE AVE.
CODE U33
SILVER SPRING MD 20904

Distribution List

Joyce R Lytle
1710 GOODRIDGE DR.
175-2-8-2
MCLEAN VA 22102

Roy Mabry
DON/ASN(RD&A)/ADPSO/IRM
1334 QUALL RIDGE DR.
RESTON VA 22904

John Machado
SPAWARSYSCOM
SPAWAR (CODE 324X)
WASHINGTON DC 20363

Robert Manchise
TRI-COR INDUSTRIES
8201 CORPORATE DRIVE
SUITE 400
LANDOVER MD 20785

Leslie Mangereri
8330 BOONE BLVD.
SUITE 730
VIENNA VA 22182

Roger J Martin
NIST/CSL
BLDG. 225 ROOM B266
GAITHERSBURG MD 20899

Zyg Martynowicz
TELEDYNE SYSTEMS CO.
19601 NORDHOFF STREET
NORTHRIDGE, CA 91324

Masao Matsumoto
NEC CORPORATION
C&C SOFTWARE DEVELOP. GROUP
11-5 SHIBAURA2
TOKYO 108 JAPAN

Kevin Mccaffry
CONVEX COMPUTER CORP.
7501 GREENWAY CENTER DR.
GREENBELT MD 20770

Jim Mcglothlin
ORACLE CORPORATION
222 N. SEPULVEDA BLVD
SUITE 2300
EL SEGUNDO, CA 90245

John D McGregor
CLEMSON UNIVERSITY
DEPT. OF COMPUTER SCIENCE
CLEMSON SC 29634-1906

Darrell B Mcindoe
10260 OLD COLUMBIA RD.
COLUMBIA MD 21046-1707

Glenn Mcleod
NAVAL SURFACE WARFARE CTR
10901 NEW HAMPHIRE AVE
M/S N14
SILVER SPRING, MD 20903

Thomas J Mcnamara
MCNAMARA & ASSOCIATES
41 SUMMITT AVE
QUINCY, MA 02170

Chuck Mcpherson
HQ US ARMY MATERIEL COMMAND
US ARMY
AMCIO-T-T
ALEX, VA 22333-0001

David Melkonian
MITECH, INC
2361 JEFFERSON DAVIS HWY
SUITE UL336
ARLINGTON VA 22202

John Mellby
TEXAS INSTRUMENTS
P.O. BOX 869305
M/S 8513
PLANO TX 75086

Rick Mercadante
COMPTON FOR
CODE 621E
NORFOLK VA 23511

Adrien Meskin
14900 SWEITZER LANE
LAUREL MD 20707

John Meyer
SOFTMEYER SOFTWARE
12926 ALLERTON LN
SILVER SPRING, MD 20904

Michael R Meyer
HUGHES AEDFG
P.O. BOX 902
SIDE E 0 BLDG. E1
EL SEGUNDO CA 90245

Frank Miccoli
KAMAN SCIENCES CORP.
258 GENESEE ST.
SUITE 103
UTICA NY 13502

Maj. Howard E Michel
HQ AFSC/ENR
ANDREWS AFB, DC 20334

Distribution List

Judy Kerner
THE AEROSPACE CORP.
M/S M8/117
P.O. BOX 92957
LOS ANGELES CA 90009

Hans Keus
WESTMOUNT TECHNOLOGY
POORTWEG 8
P. O. BOX 5063 2600 GB DELFT
2612 PA DELFT
THE NETHERLANDS

Amrik S Khatra
SPAWAR
DEPT. OF THE NAVY
ATTN: BLDG. NC1
WASHINGTON DC 20363-5100

Sanford B Klausner
V4TH CO.
2290 VALERIE COURT
CAMPBELL, CA 95088

Chuck Koch
NAWC-AD
CODE 7031
WARMINSTER PA 18974-5000

Allan H Kopp
TELESOFT
2231 CRYSTAL DRIVE
SUITE 500
ARLINGTON VA 22202

Lcdr John R Koprowski
COMOPTEVFOR USN
CODE 621
NAVSTA
NORFOLK VA 23511-5225

Robert Kowalski
ORACLE FEDERAL GROUP
3 BETHESDA METRO CENTER
SUITE 1400
BETHESDA MD 20814

Ed Kreil
NSWSES DET
CODE TN
DAHLGREN, VA 22448-5160

John Leahy
SUN MICROSYSTEMS
2650 PARK TOWER DR.
VIENNA, VA 22180

Robert E Lee
1215 JEFFERSON DAVIS HWY
SUITE 1300
ARLINGTON VA 22202

Bill Lev
LOCKHEED MISSILES & SPACE COMPANY
ORG 8H01, BLDG 586
1111 LOCKHEED WAY
SUNNYVALE, CA 94089-3504

Alex Levinson
GE AEROSPACE
ROUTE 38 CORPORATE CTR
BLDG 148-309
MOORSETOWN NJ 08057

Alexander V Lewin
SPAWAR
DEPT. OF NAVY
SPAWAR 3243L
WASHINGTON DC 20363

Randall Lichota
HUGHES AIRCRAFT CO.
GROUND SYS. GROUP
P.O. BOX 3310
FULLERTON CA 92634

Jack Liu
RESPOSITORY STANDARDS/DEC
110 SPITBROOK RD
M/S ZKO2-3/N30
NASHUA, NH 03062

Joe Lomax
NAVAL AVIONICS CTR
2000 EAST 21ST STREET
CODE 822
INDIANAPOLIS, IN 46219-2189

Anita Backer Lopez
CODE 071
WASHINGTON DC

Mary Curtin Loux
ANALYSIS & TECHNOLOGY
190 GOVERNOR WINTHROP AVE.
NEW LONDON CT 06320

Monte K Luhr
DECISION SYSTEMS TECHNOLOGIES
P.O. BOX 4989
WOODBIDGE, VA 22194-4989

Stephen F Lyda
NAVAL WEAPONS CENTER
INFORMATION SYSTEMS PROJECTS
CODE 27C
CHINA LAKE CA 93555

Bradley C Lyon
NSWSES DET
CODE TN
DAHLGREN, VA 22448-5160

Distribution List

Henry Heffernan
19 EYE ST.
(202) 789-1880 FAX
WASHINGTON DC 20001

Jim Hegerty
DATA FOCUS INC.
12500 FAIR LAKES CIRCLE
SUITE 160
FAIRFAX VA 22033

Bill Herberger
STAR TECHNOLOGIES
515 SHAW ROAD
STERLING VA 22170

Jim Hess
OFFICE OF ASSIT. SEC. OF ARMY
THE PENTAGON
ATTN: SARD-Z85
WASHINGTON DC 20310

Ken Hoffmann
DEPT. OF VETS AFFAIRS
810 VERMONT AVE.
WASHINGTON DC 20240

Cdr David Hogen
SPAWARSSYSCOM
CODE 231
WASHINGTON DC 20363

Robert J Hokanson
PARAMAX SYSTEMS CORP.
P.O. BOX 6458
M.S. U1R19
ST. PAUL, MN 55164-0525

Howard Hollander
GE OCEAN SYSTEMS DIV.
P.O. BOX 4840
ELECTRONICS PARK
SYRACUSE NY 13221

Steve L Homoki
ARMSTRONG DATA SERVICES
1750 NEWYORK AVE.
SUITE 201
WASHINGTON DC 20006

Bill Horner
WESTINGHOUSE
M/S 5163
P.O. BOX 746
BALTIMORE MD 21203

Michael J Horton
UNISYS
P.O. BOX 517
CENTER FOR ADV INFO TECH.
PAOLI, PA 19301

Edward Hotard
MARTIN MARIETTA
10315 BROOM LANE
SEABROOK MD 20706

Steve Howell
10901 NEW HAMPSHIRE AVE.
(301) 394-1175 FAX
SILVER SPRING MD 20903-5000

Phil Hwang
NAVSWC
10901 NEW HAMPSHIRE AVE.
SILVER SPRING, MD 20903-5000

Glenn Hughes II
RATIONAL
6707 DEMOCRACY BLVD.
SUITE 500
BETHESDA MD 20817-1007

Ed Jacques
JHU-APL
M/S 6-31
LAUREL MD 20723

Myong Jensen
DYNAMICS RESEARCH CORP.
1755 JEFF. DAVIS HWY
SUITE 802
ARLINGTON, VA 22202

John S Johnson
NAVAL AIRONICS CENTER
CODE 825
600 EAST 21ST ST.
INDIANAPOLIS IN 46219

Nina Jones
INTEGRATED MICROCOMPUTER SYS.
P.O. BOX 1705
DAHLGREN VA 22448

Mark Karan
BOOZ, ALLEN
4330 EAST WEST HIGHWAY
SUITE N553
BETHESDA MD 20814

Howard Kea
DMC HEADQUARTERS
(AMCDE-CS)
5001 EISENHOWER AVE.
ALEXANDRIA VA 22333

Barbara Keller
SPAWAR
FIVE CRYSTAL PARK
2451 CRYSTAL DRIVE
WASHINGTON, DC 20363

Distribution List

James U Ferguson
LOGICON
2100 WASHINGTON BLVD.
ARLINGTON VA 22204

Christopher Francis
9901-R BUSINESS PARKWAY
LANHAM MD 20706-1840

Mark Gardner
CONTEL FEDERAL SYSTEMS
15000 CONFERENCE CENTER
CHANTILLY VA 22021

Ryan D Gatling
ST. INIGOE MD 20684

Joel Gemmell
ORACLE FEDERAL GROUP
3 BETHESDA METRO CENTER
BETHESDA MD 20814

Brian Gill-price
VP PRODUCT DEVELOPMENT PROCASE
3130 DE LA CRUZ BLVD.
SUITE 100
SANTA CLARA CA 95054

Cdr Bernard G Gogel
OPNAV -095
NAVY DEPARTMENT
WASHINGTON DC 20350-2000

Richard Good
SILTRONIX
9449 BALBOA AVE.
SAN DIEGO, CA 92123

Debbie Gore
ADVANCED SYSTEM TECHNOLOGY INC.
12200 E. BRIARWOOD AVE.
SUITE 260
ENGLEWOOD CO 80112

Thomas A Grobicki
ADASOFT
8750-9 CHERRY LANE
LAUREL MD 20707

Richard W Grote
PRC INC.
1500 PLANNING RESEARCH DRIVE
MS 5S3A
MCLEAN VA 22102

Steven A Haaser
JHU/APL 6-41
JOHNS HOPKINS ROAD
LAUREL MD 20723-6099

George Hacken
GEC MARCONI (FORMERLY PLASSEY)
MC18A14
150 PARISH DRIVE
WAYNE NJ 07474-0932

Barbara Haleen
UNISYS
P.O. BOX 64252
M/S UIR19
ST. PAUL MN 55164-0525

Paul Hale
INTERACTIVE DEV. ENVIR.
2250 LUCIEN WAY
SUITE 100
MAITLAND FL 32751

Carl Hall
CODE 39203
CHINA LAKE CA 93555-6001

James Hall
NIST/NCSL
BLDG 225
ROOM B266
GAITHERSBURG MD 20899

Allen L Hankinson
NIST/NCSL
BLDG 225
301 590-0932
GAITHERSBURG, MD 20899

Robert P Hanrahan
U.S. AIR FORCE STSC
00-ALC/TISAC
SOFTWARE TECHNOLOGY SUPPORT
BLDG. 100, BAY G
HILL AFB, UT 84056

Tim Harrison
INTERNATIONAL SOFTWARE SYS. INC.
9430 RESEARCH BLVD.
ECHELON IV, SUITE 250
AUSTIN, TX 78759

Hal Hart
TRW R2/2062
ONE SPACE PARK
REDONDO BEACH, CA 90278

John Harvey
DIGITAL EQUIPMENT CORP.
8100 CORPORATE DRIVE
SUITE 100
LANDOVER MD 20785

Diana J Healey
USCG COMDAC SUPPORT FACILITY
4000 COAST GUARD BLVD.
PORTSMOUTH VA 23703

Distribution List

Carl R Crawford
FCDSSA
MAIL CODE 6133
DAM NECK
VA BEACH VA 23461-5300

Charlotte Crawford
LOCKHEED MISSILES & SPACE CO.
6800 BURLESON ROAD
0/T4-02 B/30F
AUSTIN TEXAS 78744

Jay Crawford
NAVAL AIR WARFARE CTR.
WEAPONS DIVISION
CODE 31C
CHINA LAKE CA 93555

Jacqueline R Cristina
US ARMY STRATEGIC DEFENSE COMMAND
ATTN: CSSD-SA-BT
P. O. BOX 1500
HUNTSVILLE, AL 35807-3801

Robert J Cunius
CONTROL DATA CORP
11737 FLINTS GROVE LA.
WEST POTOMAC, MD 20878

Edward Cuoco
DIGITAL EQUIPMENT CORPORATION
110 SPIT BROOK ROAD
2K02-1/M11
NASHUA, NH 03062

Robert Curry
DEPARTMENT OF TRANSPORTATION
MARITIME ADMIN.
400 7TH ST. S.W.
WASHINGTON DC 20590

Chris Daly
6720 LONGRIDGE DR.
LANHAM, MD 20706

Hugh Davis
INTERNATIONAL COMPUTERS LTD.
ESKDALE ROAD
WINNERSH, WOKINGHAM
BERKSHIRE, RG11 5TT, UK

Steve Deiss
APPLIED NEURODYNAMICS
769 MARIE CT.
ENCINITAS CA 92024

Kieran Dill
NAVAL AVIONICS CENTER
6000 E. 21ST STREET
INDIANAPOLIS IN 46219-2189

Gail M Driskill
CEA INCORPORATED
1680 EAST GUDE DRIVE
SUITE 312
ROCKVILLE MD 20850

Randall E Duran
NSVSWC
10901 NEW HAMPSHIRE AVE.
CODE U33
SILVER SPRING MD 20903-5000

Robert W Ekman
800 N FREDERICK AVENUE
GAITHERSBURG MD 20879

Fay Elassy
DIGITAL
ML03-5/U26
146 MAIN ST.
MAYNARD MA

Greg Engledove
NAVSEASYS COM
DEPT OF THE NAVY
PMS 4123G1
WASH. D.C. 20362-5101

Edward J Evers
GENERAL DYNAMICS
12101 WOODCREST EXECUTIVE DR.
P.O. BOX 27366
LOUIS MO 63141

William Farrell
DSD LABS
75 UNION AVE.
SUDBURY, MA 01776

Dr. A Farsaie
NAVSWC
10901 NEW HAMPSHIRE AVE.
CODE G42
SILVER SPRING MD 20903-5000

Jeanne Feden
2000 N. 14TH ST.
SUITE 220
ARLINGTON VA 22201

Peter H Feiler
SOFTWARE ENGINEERING INSTITUTE
CARNEGIE MELLON UNIVERSITY
PITTSBURGH PA 15213-3890

Doug Ferguson
WESTINGHOUSE
P.O. BOX 746
MS 5370
BALTIMORE MD 21203